


1-Line, Bi-directional, Ultra-low Capacitance Transient Voltage Suppressor



Features


- Stand-off voltage: w 5.5V Max
- Transient protection for each line according to IEC61000-4-2(ESD): $\pm 30\text{kV}$ (contact)
- IEC61000-4-4 (EFT): 80A (5/50ns)
- IEC61000-4-5(surge): 43A (8/20 μs)
- Ultra-low leakage current
- Ultra low clamping voltage
- Low clamping voltage:
 $V_{CL} = 7.5\text{V typ. @ } I_{PP} = 16\text{A (TLP)}$
- RoHS Compliant

Applications


- Battery Line Protection
- Audio Line Protection
- GPIO

Mechanical Data

- Package: DFN1006-2L
- Case Material: "Green" Molding Compound
- Marking Information: See Below



Definitions of electrical characteristics



ESD5V5LA

PARAMETER		LIMITS	UNIT
20μs)	P_{pk}	520	W
/20μs)	I_{pp}	43	A
00-4-2 air discharge	V_{ESD}	±30	kV
00-4-2 contact discharge		±30	
	T		

Characteristics (Typical)

Fig.1 8/20 μ s waveform per IEC61000-4-5




Fig.7 ESD clamping
(+8kV contact discharge per IEC61000-4-2)







Fig.8 ESD clamping
(-8kV contact discharge per IEC61000-4-2)





Outline Dimensions



SYMBOL	MILLIMETER		
	MIN	NOM	MAX

Recommended PCB Layout

Unit:mm



Disclaimer

The information presented in this document is for reference only. Yangzhou Yangjie Electronic Technology Co., Ltd. reserves the right to make changes without notice for the specification of the products displayed herein to improve reliability, function or design or otherwise.

The product listed herein is designed to be used with ordinary electronic equipment or devices, and not designed to be used with equipment or devices which require high level of reliability and the malfunction of which would directly endanger human life (such as medical instruments, transportation equipment, aerospace machinery, nuclear-reactor controllers, fuel controllers and other safety devices), Yangjie or anyone on its behalf, assumes no responsibility or liability for any damages resulting from such improper use of sale.

This publication supersedes & replaces all information previously supplied. For additional information, please visit our website [http:// www.21yangjie.com](http://www.21yangjie.com) , or consult your nearest Yangjie's sales office for further assistance.