





Typical Electrical and Thermal Characteristics Diagrams







YJQ6D9G04HHQ



0






YJQ6D9G04HHQ




YJQ6D9G04HHQ


PDFN3333-8L-B-0.75MM Package information



TOP VIEW



BOTTOM VIEW



SIDE VIEW

SUGGESTED SOLDER PAD LAYOUT

'LVFODLPHU

7KH LQIRUPDWLRQ SUHVHQWHG LQ WKLV <DQJ> KRXVH QDQV MIRHU (WHIHFWURQ HFRQRQFHKQRQ
ULJKW WR PDNH FKDQJH RU ZWLVK RXSWHFKR SDURVGLXFWV RIGWVSOD\HG KHUHLQ WRGLHPSLWRY
RWKHU ZLVH

7KH SURGXFW OLVWJH GHWHULREH LXV BSHZLWHKFDXWR RERWIDYRUQRWHGLQVPHGH FDO OLIH
VDYLQJ OLIHVXVWDQD<DQJ> RUDLQDQD RQXIPMV ERKURVLSHQQLWLRW\ DQWGPDUH
VXFK LPSURSHU XVH RI VDOH

7KLV SXEOLF DWLRQ SVKSHUWIDQV LQURQPDVLSRQLSHGHYLRXDQGLRQLRSDODVLRWHUPLWWRSX
ZZZ \