





# ESD3602EAHQ

## Maximum Ratings

PARAMETER	SYMBOL	LIMITS	UNIT
3 HDN SXOVH SRZHV W	3SN		:
(6' DFFRUGLQJ WR ,(& DLU GLVFKDUJH	9(6' GLVFKDUJH	"	.9
(6' DFFRUGLQJ WR ,(& FRQWDFW		"	
-XQFWLRQ WHPSHUDWXUH	-	ā	
6WRUDJH WHPSHUDWXUH	67*	7a	


1RWHV



vCharacteristics (Typical)


3 HDN 3XOVH & X<sub>3</sub>UHQW

)LJ V 3XOVH :DYHIRUP



7 L P<sub>1</sub>HV


,OM 6KQ6[RK) [XKTZ\Y)RGSVOTM<URZGMK



<) )RGSVOTM<URZGMK <


RI 5DWHG 3RZHU ,

)LJ 3RZHU 'HUDWLQJ & XUYH



\$PELHQW 7HPSHUDWXUH 7

,OM )GVGZGTIK\Y (OY



(OY <URZGMK <



vOutline Dimensions

vMarking Information

```
1RWH
$OO PDUNLQJ LV DW PLGGOH RI WKH SURGXFV ERG\
$OO PDUNLQJ LV LQ ODVHU PDUNLQJ
%RG\ FRORU %ODFN
+$$ LV ODUNLQJ &RGH KROGHU IRU GDWH
FRGH

'DWH &RGH YDU\ GHSHQGLQJ XSRQ SURGXFWLRQ GDWH
```



# ESD3602EAHQ

## Disclaimer

7KH LQIRUPDWLRQ SGRFWRUHQW LQ IRKLVHDIHQJHQRK BQJMLH (OHFWURQLF 7HFKQRO  
ULJKW WR PDNH FKDLFHVRZLWKR XWSKRLSULFRGXKFRV/ RGLWSOD\HG KHUHLQ WURGLPVLWRY  
RU RWKHUZLVH

7KH SURGXFWOLVGHV/KJLHG WR EH MVHGHZVNDKDXRVPBWL YJQHG IRU XVH LQ PHG  
VDYLQJ OLIHVXVWRDQJOLHRURUPDQVQH BQVXPHVEQR UOLSEQOLEWLRW\BQWGPDIR  
P VXFK LPSURSHU XVH RI VDOH

7KLV SXEOLFDWLRQ SVXSHUW DGDVLQURQJPDVLSRQLSGHYRURXVGLWLRQDO LQWRUPDWLR  
KWW [VZ](#) [\DQJMLHRFR](#) FRQVXOW \RXU QHDUHVW <DQJMLVHM\YQVFOHV RILFH IRU IXUW