



Silicon Carbide Schottky Diode

Á

Features

- ÁÚ [• äcäç^Äc^ {] ^!æc~!^Ä& [^--ä&ä^ } cÄ
- ÁV^ {] ^!æc~!^Ää } ä^] ^ } ä^ } cÄ • äc&@ä } *Ä
- ÁTæcä { ~ { Ä , [!\ä } *Äc^ {] ^!æc~!^ÄæcÄÍ Í Ä» ÖÄ



YJD112020NCTQG2

Electrical Characteristics

| PARAMTETER | SYMBOL | UNIT | TEST CONDITIONS | Typ. | Max. |
|------------|--------|------|-----------------|------|------|
|------------|--------|------|-----------------|------|------|

ÁGÁDÁ T Á



Outline Dimensions

Á

| TO-247AB | | |
|----------|-----------|-----------|
| Öä { Á | T ä } Á | T æ ç Á |
| œ Á | l È ì € Á | í È ç € Á |
| œ F Á | | |



Disclaimer

V@^há}-[! { æcä [}Á]!^•^}c^áhá}Ac@i•há [& ~ { ^}cÁá•Á-[!Á!^-^!^}&^Á[]|^ÉÁÿæ}* :@[~Áÿæ} *bá^ÁÖ|^&c! []ä&Á