




0"
% & 809

RoHS
COMPLIANT

'XDO 313 6PDOO 6LJQDO 7UDQVLVW



)HDWXUHV
z 0RLVWXUH VHQVLWLYLW\ OHYHO
z +DORJHQ IUHH DQG 5R+6 FRPSOL
z 6XUIDFH PRXQW SDFNDJH LGHDO
PDWLF ,QVHUWLRQ

\$SSOLFDWLRQ
z 6LJQDO DPSOLILFDWLRQ
z 6ZLWFKLQJ FLUFXLW

0HFKDQLFDO GDWD
z 3DFNDJH 27 o³
z 7HUPLODQ SODWHG OHDG V VRO
- 67' DQG -(6' o^{30%}

v0D[LPXP 5DWDQJ 8QOHVV RWKHUZLVH VSHFLILHG

,WHP	6\PERO	8QLW	&RQGLWLRQV	9DOXH
'HYLFH PDUNLQJ FRGH				/9
&ROOHFWRU EDVH YROWDJH	&%2		9 X\$, 9	,
&ROOHFWRU HPLWWHU YROWDJH	(%2		& \$\$, 9	,
(PLWWHU EDVH YROWDJH	(%2		9 (X\$, 9	,
3RZHU GLVVLSDWLRQ	3	P:		
-XQFWLRQ WHPSHUDWXUH	-	-	7	WR
6WRUDJH WHPSHUD		-		WR

o³
o³
o³
o³
o³
o³
o³
o³



0"
% & 809

RoHS
COMPLIANT

0³
0³
0³
0³

, WHP



0"
% & 809

RoHS
COMPLIANT



0" % & 809

RoHS COMPLIANT

0³

v2UGHULQJ ,QIRUPDWLRQ


0³

3UHIHUUH(C	3DFNL FRGH	8QLW ZHLJ	0LQLPXP SDFNDJH	,QQHU ER TXDQWLW\	2XWHU FDU TXDQWLW\	'HOLYHU\ PRGH
% & & 9)	\$SSUR[LPDWH				

UHH

v2XWOLQH 'LPHQVLRQV


0³



DIM	DIMENSIONS			
	INCHES		MM	
	MIN	MAX	MIN	MAX
A	0.006	0.011	0.150	0.300
B	0.043	0.051	1.100	1.300
C	0.059	0.067	1.500	1.700
D	0.016	0.024	0.400	0.600
E	0.035	0.042	0.900	1.100
F	0.039	0.047	1.000	1.200
G	0.021	0.026	0.530	0.660
H	0.004	0.005	0.100	0.120
M	0.004	0.007	0.100	0.170

0³

v6XJJHVWHG 3DG /D\RXW



0³

0³

0

3

0

3

