



.....8 i U' BDBZDBD'G a U''G][ bU' HfUbg]ghcf'

:YUhi fYg''


AYW\Ub]WU''8UhU'

DUW\_U[Y.

HYfa]bU'g.'

AUf\_]b[.'

9e i]jU'Ybh'W]fWi]h'



CfXYf]b[ '-bZcf a Uh]cb

DF9:9F98'D#B'	D57?-B; 7C89'	IB-H' K9=-; <Hfl[L'	A=B:A I A' D57?5 ; 9fidWgt.	-BB9F'6CL' E I 5BH-HMfidWgt.	C I H9F'75FHCB' E I 5BH-HMfidWgt.'	89@=-J9FM'AC89'



# AA8H' - (\*'

HF%`BDB`D]b% & \*`AUI]a i a`FUh]b[g`

hY a`	Gma Vc`	I b]h`	7cbX]h]cbg`	JU`iY`

HF%`BDB`D]b% & \*`9`YWhf]WU`7 \UfUWhYf]gh]Wg

hY a`	Gma Vc`	I b]h`
-------	---------	--------



AA8H' - (\*'

HF&'DBD'D]b' ( )'AUI]a i a'FUh]b[g'

hYa'	Gma Vc''	Ib]h'	7cbX]h]cbg'	JU' iY'



F% B' T

20







# AA8H' - ( \*'

'HF&'DBD'D]b' ( )'7 \UfUWhYf]gh]Wg


Static Characteristic




DC Current Gain



Collector Emitter Saturation Voltage



Base Emitter Saturation Voltage





# AA8H' - (\*'

GCH!'\*' 'DUW\_U[Y'C ih]bY'8]a Ybg]cbg'



GCH!'\*' 'Gc`XYf]b[': cchdf]bh'

Unit mm'



AA8H' - (\*'

---

8]gW'U]a Yf'

---