

v7KHUPDO & KDUDFWHULVWDOHV RWKHUÄLVH VSHFLILHG

3\$5\$0(7(5	6<0%2/	81,7	5/	5/	5/	5/	5/	5/	5/
7\SLFDO 7KHUPDO	5H5LVWDQFH								

v2UGHULQJ , QIRUPDSQLHQ


35() (5(' 3 1	3\$&.\$*(&2'()	81,7 :(*,+7	0,1,080 3\$&.\$*(SF	,11(5 %2; 48\$17,7< S	287(5 &\$572 48\$17,7< S	'(/,9(5< 02'()
5/ a5/	'	\$SSUR[LPDWH				
5/ a5/	&	\$SSUR[LPDWH				

7DSH
%XO

v & KDUDFWHULVWDOHV

,QVWDQDQQRXV 5HYHUVH &XUUHQW X\$

),* 7\SLFDO 5HYHUVH & KDUDFWHULVW




3HUFHQW RI 5DWHG 3HDN 5HYHUVH 9ROW

6 \$
5HY \$SU

<DQJ]KRX <DQJMEH HOKGWRQ & R /VZ \DQJMLH P



Outline Dimensions



DO-204AC(DO-15)		
Dim	Min	Max
A	5.80	7.60
B	2.60	3.60
C	25.4	/
D	0.70	0.90



Disclaimer

The information presented in this document is for reference only. Yangzhou Yangjie Electronic Technology Co., Ltd. reserves the right to make changes w